



NEW Search beta: Go

Friday, January 06, 2012.

MEETING COVERAGE | NEWS BY SPECIALTY | BLOGS | COLUMNS | WASHINGTON WATCH | STATE REQUIRED CME | VIDEOS | SPECIAL REPORTS

Medical News, Allergy & Immunology: **Allergy** | Asthma | COPD | Meeting Coverage AAAAI | ACAA | ATS |

Allergy

HOME > NEWS BY SPECIALTY > ALLERGY & IMMUNOLOGY > ALLERGY



Print Save Bookmark Add Your Knowledge Email More

Log in or create a free account for complete access to everything MedPage Today has to offer!

Cat Allergy Depends on When You Get the Cat

By Michael Smith, North American Correspondent, MedPage Today
 Published: December 27, 2011
 Reviewed by Robert Jasmier, MD; Associate Clinical Professor of Medicine, University of California, San Francisco and Dorothy Caputo, MA, RN, BC-ADM, CDE, Nurse Planner

FEEDBACK

Thinking of getting a cat? European researchers found that acquiring kitty as an adult can lead to allergies to cat dander.

The risk is lower if you had a cat as a child but higher if you already have some other allergies, according to Giuseppe Verlato, PhD, of the University of Verona in Verona, Italy, and colleagues.

On the other hand, adults who get a cat but don't let it in the bedroom appear to be unlikely to become sensitized to the animal, Verlato and colleagues reported online in the *Journal of Allergy and Clinical Immunology*.

The bottom line, the researchers concluded, is that "acquiring a cat increases the risk of cat sensitization in adulthood, particularly when the cat is allowed in the bedroom."

The findings come from the European Community Respiratory Health Survey (ECRHS), a large cohort study of asthma conducted from 1991 through 1993. Cat-specific immunoglobulin E was measured in 14,138 of the 18,536 participants.

In the follow-up ECRHS II study, conducted from 1999 through 2002, cat-specific IgE was measured in 7,318 participants, but 828 were already sensitized to cat at baseline. Another 198 were left out because information on cat ownership was missing, leaving 6,292 participants, with an average follow-up of 8.6 years, for the current study.

The aim of the analysis was to determine the risk of new-onset cat sensitization as a function of changes in cat ownership, where sensitization was defined as a serum IgE level of 0.35 kU/L or greater.

Overall, the researchers reported, 4,468 volunteers did not have a cat at either study point, 473 had a cat only at baseline, 651 acquired a cat during the follow-up, and 700 had a cat at both evaluations.

The cat was allowed in the bedroom by 94.3% of the people who had a cat at both surveys and by 92.5% of those who got a cat during the follow-up. Two-thirds of those who got rid of their cat between the surveys (64.1%) had allowed the cat in the bedroom.

Over the follow-up period, 231 people (3.7%) developed sensitivity to cat dander.

Multivariable analysis showed:

- People who got a cat during the follow-up had nearly double the risk of new-onset cat sensitization as did those without a cat at both surveys (1.85, 95% CI 1.23 to 2.78, $P=0.017$).
- Preexisting allergies to other substances also increased the risk, compared with people who did not have other allergies (RR 2.31, 95% CI 1.74 to 3.07, $P<0.001$).
- A history of asthma, nasal allergies, and eczema also increased the risk, with relative risks of 1.49, 1.66, and 1.34, respectively.
- Cat ownership in childhood was a protective factor (RR 0.59, 95% CI 0.47 to 0.75, $P=0.001$).

Interestingly, none of the adults who got a cat but kept the animal out of the bedroom became sensitive to cat dander during follow-up, the researchers reported, compared with 61 of the 1,262 (4.8%) who did let the new cat into the bedroom. The difference was significant at $P=0.030$, but


Like 27 people like this.

Resource Center



Focus on Type 2 Diabetes. Get the latest articles, videos, and patient resources for Type 2 diabetes research and management.

Resources (from Industry)



CME Spotlights

Top Stories

- Herpes Drugs Work, but Not Forever
- Silent Strokes May Scatter Memory
- Bariatric Surgery Cuts Cardiac Risks
- Generic Lipitor: New Era for Statins?
- 'Brain-Eating' Amoeba Kills Second Neti Pot User
- Playgrounds Too Safe to Keep Little Kids Active
- COPD in Adulthood Ties to Genetic Childhood



MedPage Today Tools

Guide to Biostatistics Important epidemiologic concepts and common biostatistical terms to help clinicians translate medical research into everyday practice.

the study had insufficient power to evaluate the issue in multivariable analysis.

The researchers cautioned that changes over time both in cat ownership and sensitization were assessed at only two points. Also, they noted, the data on pet keeping in childhood were based on retrospective reporting by adults, which could have been affected by recall bias.

The study was supported by the European Commission.
Verlato did not report any potential conflicts.

Primary source: Journal of Allergy and Clinical Immunology
Source reference:
Olivieri M, et al "Risk factors for new-onset cat sensitization among adults: A population-based international cohort study" *J Allergy Clin Immunol* 2011; DOI: 10.1016/j.jaci.2011.10.044

FEEDBACK

[Additional Allergy Coverage »](#)

MedPage Today provides daily, peer-reviewed medical news articles, written specifically for the clinician.

Why register?

1. While we cover most medical specialties, you can personalize the site to focus on your medical interests.
2. Know before your patients ask. Have quick access to evidence-based data, when patients print out what they found online and may be from questionable sources.
3. Optional breaking Medical News alerts. We *NEVER* sell, rent or otherwise share your personal data.
4. Have the option to participate in occasional paid surveys.
5. See article recommendations based on your specialty and declared interests.
6. Earn quick CME or CE credit for reading the news. Available on most articles.
7. It's Free

Register Today *Already registered? [Sign In](#)*

Add Your Knowledge™

View Comments By: Healthcare Professionals All

Contribute your own thoughts, experience, questions, and knowledge to this story for the benefit of all MedPage Today readers.

ADD YOUR KNOWLEDGE

Dr. Jacob R. Raitt - Dec 28, 2011
Might this not hold true for other acquired allergies as well? Think peanuts.

deniza futuro - Dec 29, 2011
I have a cat for 15 years and he was allowed in my bedroom since he was a baby cat. I did not have any pet as a child and bought this cat when I was past thirty years old. When I adopted this cat I had rhinitis but NEVER did I develop any kind of allergy for his fur or danders. I think that the study is biased because it cites only persons that have allergies. Many persons have cats and allergies but never develop any kind of allergy after he or she acquires the cat. I think that the schematics of the study must be redone to include cases like mine, a person over 30 with a first cat that always slept in my bedroom and NEVER developed any kind of allergies.

Deborah Perrin MA, LMHP, CPC - Dec 29, 2011
I have had cats since I was 9. They have always been in my bedroom. I was diagnosed now at age 52 with cat allergy. I am also allergic to mold, dogs, ragweed, mountain cedar and clay cat litter dust. As a child I had "hayfever" and was treated with shots. Sinus headaches led me to the allergist and the diagnosis was not made with the scratch test, an injection was required to get the diagnosis of cat allergy. I believe medications I am on may increase my sensitivity to cats and

[Login to post an Add Your Knowledge™ comment.](#)

FEEDBACK

This report helped me stay abreast of new data and medical developments.
Strongly Agree (5) Strongly Disagree (1)

This report improves my ability to have informed conversations with my patients.

Allergy News Feed Widget for Your Website
Place a free, customizable RSS news feed widget on your website or blog. We've created over one-hundred widgets in each of our medical specialties. [more about widgets](#)

Allergy specific RSS News feed for your reader, blog, or website
<http://www.medpagetoday.com/medical-news-rss-feeds/Allergy-Specific.xml>

Current Survey **Past Surveys**

2011 brought a number of developments that stirred the medical world and could change practice.

Which of the following do you think will have the most impact?

- Controversy over PSA testing and screening mammography
- Approval of new oral anticoagulants for stroke prevention
- U.S. declaration to achieve an AIDS-free generation
- Revocation of Avastin's indication for breast cancer
- Availability of Lipitor as a generic
- Other

Submit

Total Votes: 2214
 41 *Add Your Knowledge™ posts:*

bradford scales wrote
"If any competent corner of the medical industrial complex grabs it and runs, the results of the Mall, ..."

Judy bell wrote
"Coumadin therapy has been the great albatross around the necks of physicians and patients for many dec..."

D. M. Birch, M.D. wrote
"Obamacare is, by far, the big game-changer, hands down. Decreased access to care, decreased coverage, ..."

elizabeth mangieri-omps, fnp-c wrote
"WHAT???? No one discussed the HUGE importance of targeted genomic therapies at the point of service?..."

[more...](#)

Add our section to Google news